

## Sansil F 7

Ref. : 50652

### **1. GENERAL DESCRIPTION**

**Sansil F7** is a heavy duty, wet, non-silicone mould release agent. It is based on a mixture of glycols, and has been formulated to provide excellent release characteristics on a wide range of thermoplastics and rubbers.

### 2. FEATURES

- Provides a wet, heavy duty film for the release of plastic and rubber.
- The product is completely free of silicones and will therefore allow decorative treatment (e.g. painting, plating) of the moulded part.
- Will not build up in the mould.
- Helps to improve surface finish.
- Reduces rejects.
- Increase production.

### **3. APPLICATIONS**

Injection moulding, vacuum forming and many other moulding and forming processes.

### 4. DIRECTIONS

Spray a light, even coating from 25 - 30 cm and re-apply as necessary.

# A safety data sheet (MSDS) according to EU directive 91/155/EEC and amendments is available for all CRC products.

#### 5. TYPICAL PRODUCT DATA (without propellant)

Appearance	: Clear, colourless liquid
Odour	: Characteristic hydrocarbon
Specifications/Approvals	: Recognized by Underwriters Laboratories Inc.
	Meets UL94V-0, 94V-1, 94V-2, 94HB. See online certificate directory QMSX2.E176314
Specific Gravity @ 25°C	: 0,715
Pressure @ 25°C	: 3.5 Bar
Discharge rate	: 0,7 g/sec
Temperature range	: Operational up to 170°C
Solubility	: Soluble in solvents, insoluble in water







# TECHNICAL DATA 2/2

## Sansil F 7

Ref. : 50652

#### 6. PACKAGING

Aerosol: 12 x 400 ml

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment and conditions and the unpredictable human factors involved, we recommend that our products be tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied.

This Technical Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: <u>www.crcind.com</u>. We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.

Versie : 50652 02 0607 0

Datum : 08 June 2007



Manufactured by : CRC Industries Europe BVBA Touwslagerstraat 1 – 9240 Zele – Belgium Tel (32) (0) 52/45.60.11 Fax (32) (0) 52/45.00.34 www.crcind.com

